

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application.

Listing of the Claims

1. (Currently Amended) A method of making garment material, the method having the steps:
  - providing a substrate;
  - applying coagulant to the substrate;
  - applying a foam of a polymeric material to the substrate;
  - allowing for the coagulant to coagulate some of the foam for a controlled period, leaving some of the foam uncoagulated; and
  - removing the uncoagulated foam from the substrate to leave a layer of the coagulated polymeric material on the substrate, wherein the controlled period is such that the garment or garment material when subjected to a temperature of  $20 \pm 2$  °C and a relative humidity of  $65 \pm 2\%$  for 265 minutes, will hold between 1.0 mg and 8.5 mg of water per cm<sup>2</sup> of the garment material.

Claims 2-3 (Cancelled)

4. (Previously Presented) The method of claim 1, wherein the step of removing the uncoagulated foam comprises directing a fluid at the substrate.

5. (Original) The method of claim 4, wherein the fluid is a liquid.

Claims 6-9 (Cancelled)

10. (Original) The method of claim 4, wherein the fluid is a gas.

Claims 11-15 (Cancelled)

16. (Original) The method of claim 1, wherein the step of removing uncoagulated foam from the substrate comprises immersing the substrate in liquid.

Claim 17 (Cancelled)

18. (Previously Presented) The method of claim 1 wherein the substrate comprises knitted nylon.

19. (Previously Presented) The method of claim 1 wherein the substrate is a blend of 95 % nylon and 5 % lycra.

20. (Previously Presented) The method of claim 1 comprising the step of immersing the substrate in water to remove coagulant after the step of removing the uncoagulated foam from the substrate.

21. (Original) The method of claim 20 comprising the step of drying the substrate after the step of immersing the substrate in water.

Claims 22-23 (Cancelled)

24. (Previously Presented) The method of claim 1, wherein the coagulant is an aqueous solution of one or more electrolytes.

25. (Previously Presented) The method claim 1, wherein the coagulant is an alcoholic solution of one or more electrolytes.

Claim 26 (Cancelled)

27. (Previously Presented) The method of claim 1, wherein the polymeric material comprises at least one of: nitrile latex, natural latex, polyurethane latex, polyvinyl chloride latex, neoprene and polyvinylacetate.

Claim 28 (Cancelled)

29. (Previously Presented) The method of claim 1, comprising: providing a mould; and placing the substrate on the mould before the coagulant is applied to the substrate.

Claims 30-33 (Cancelled)

34. (Previously Presented) The method of claim 1, further comprising the step of applying a coating in an array of discrete areas to the layer of coagulated polymeric material.

35. (Previously Presented) The method of claim 34 further comprising at least one of the steps of:  
washing the garment material to remove residue;  
partially drying the garment material;  
providing an array former; and  
dressing the garment material on the array former before applying the coating; and  
then  
curing the layer of coating; and  
stripping the garment material from the array former.

Claims 36-37 (Cancelled)

38. (Previously Presented) The method of claim 34, wherein the layer of coating comprises at least one of: nitrile latex, natural latex, PU latex and latex.

Claims 39-41 (Cancelled)

42. (Previously Presented) The method of claim 34 wherein the array of discrete areas of coating comprises an array of dots.

43. (Previously Presented) The method of claim 34 wherein the array of discrete areas of coating comprises a combination of an array of dots and strengthening patches.

Claims 44-46 (Cancelled)

Claims 47-50 (Cancelled)

Claims 51-55 (Cancelled)

Claims 56-57 (Cancelled)

Claims 58-60 (Cancelled)

Claims 61-63 (Cancelled)